



NOTES:

1. I.D. CHARACTERS SHALL BE 1/2" MINIMUM HEIGHT CLEARLY STAMPED AS SHOWN
2. WELDS SHALL BE DRESSED FLUSH WITH SHOULDER & NOT TO PROTRUDE INTO RAIL SEAT
3. OPENINGS IN BOLT CAPTURE BLOCKS SHALL BE FREE OF WELD AND SPATTER
4. SLOTTED HOLE CENTERS ARE INDICATED ON DRAWING

BILL OF MATERIAL			
ITEM	QTY	DESCRIPTION	DWG NO
1	1	BURNED PLATE, ASTM A36, 3/4" THICK	-
2	3	CAPTURE BLOCK FOR PLATE CLIP	-
3	4	CAPTURE BLOCK FOR HORN KEEPER	-
4	2	SHOULDER, PANDROL, FORGED TONGUELESS, TYPE 1	-



FORGED SHOULDER WELDING DETAIL





FROG BASE PLATE 20-136-83RC


REV	DATE	BY	CHK	APP	DESCRIPTION

PENINSULA CORRIDOR JOINT POWERS BOARD

APPROVED BY:

ENGINEERING MANAGER DEPUTY DIRECTOR OF ENGINEERING



1250 San Carlos Avenue
 San Carlos, CA 94070

STANDARD DRAWINGS

SPECIAL TRACKWORK
NO 20 TURNOUT
 WSM FROG RH
 FROG BASE PLATE 20-83RC

CADD FILE NO.:	SD-2728
REV	DATE
0	093011
SPECIAL TRACKWORK	
STANDARD NO.:	SD-2728